

Notified Body
Nr. 0036



Industrie Service

Certificate of conformity of the factory production control

0036 CPR 9811 009

Revision 06

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Connecting flue pipe type SP, single wall models

Model 1	EN 1856-2	T600 N1 W V2 L50040 XXXX XX
Model 2	EN 1856-2	T600 N1 W V2 L50050 XXXX XX
Model 3	EN 1856-2	T600 N1 W V2 L50060 XXXX XX
Model 4	EN 1856-2	T200 P1 W V2 L500XX O60 M
Model 5 (SPGV)	EN 1856-2	T200 P1 W V2 L500XX O60 M
Model 6 (SPGN)	EN 1856-2	T200 P1 W V2 L500XX O60 M
Model 7 (SPGN)	EN 1856-2	T450 N1 W V2 L500XX G700 M

for details of classification see page 2

produced by

Roccheggiani Spa
Via 1° Maggio, 10
IT-60021 Camerano

in the manufacturing plant

Roccheggiani Spa
IT-60021 Camerano

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-2:2009-06

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

The determination of the product type on the basis of type testing is documented.

This certificate was first issued on 2005-12-20 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2016-04-04

Johannes Steiglechner
Leiter Zertifizierungsstelle Bauprodukte (EG)



EN 1856-2

Model 1 designations:

up to DN 120
DN 130
DN 140
DN 150
DN 160
DN 180
above DN 200

T600 N1 W V2 L50040 G375 NM
T600 N1 W V2 L50040 G390 NM
T600 N1 W V2 L50040 G420 NM
T600 N1 W V2 L50040 G450 NM
T600 N1 W V2 L50040 G480 NM
T600 N1 W V2 L50040 G540 NM
T600 N1 W V2 L50040 G600 M

Model 2 designations:

up to DN 120
DN 130
DN 140
DN 150
DN 160
DN 180
above DN 200

T600 N1 W V2 L50050 G375 NM
T600 N1 W V2 L50050 G390 NM
T600 N1 W V2 L50050 G420 NM
T600 N1 W V2 L50050 G450 NM
T600 N1 W V2 L50050 G480 NM
T600 N1 W V2 L50050 G540 NM
T600 N1 W V2 L50050 G600 M

Model 3 designations:

up to DN 120
DN 130
DN 140
DN 150
DN 160
DN 180
above DN 200

T600 N1 W V2 L50060 G375 NM
T600 N1 W V2 L50060 G390 NM
T600 N1 W V2 L50060 G420 NM
T600 N1 W V2 L50060 G450 NM
T600 N1 W V2 L50060 G480 NM
T600 N1 W V2 L50060 G540 NM
T600 N1 W V2 L50060 G600 M

Model 4 designations:

T200 P1 W V2 L50040 O60 M
T200 P1 W V2 L50050 O60 M
T200 P1 W V2 L50060 O60 M

Model 5 designations:

T200 P1 W V2 L50040 O60 M
T200 P1 W V2 L50050 O60 M

Model 6 designations:

DN 80 - 120
DN 80 - 120

T200 P1 W V2 L50040 O60 M
T200 P1 W V2 L50050 O60 M

Model 7 designations:

DN 80 - 120
DN 80 - 120

T450 N1 W V2 L50040 G700 M
T450 N1 W V2 L50050 G700 M