

Certificate of conformity of the factory production control

0036 CPR 9811 001 Revision 11

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

System chimney type DP models

DPV5 - DPV3

(outer wall painted) EN 1856-1 T6

DP5 - DP3

(outer wall copper)

DP6 - DP4

(outer wall 1.4301)

T600 N1 W V2 L50XXX GXXX

EN 1856-1 T600 N1 W V2 L50XXX GXXX

EN 1856-1 T600 N1 W V2 L50XXX GXXX

For details of classification see page 2

produced by

Roccheggiani S.p.A Via 1° Maggio, 10 IT-60021 Camerano

in the manufacturing plant

Roccheggiani S.p.A. IT-60021 Camerano

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-1:2009

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

The determination of the product type on the basis of type testing is documented.

This certificate was first issued on 2005-02-25 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2017-07-04

Johannes Steiglechner

Leiter Zertifizierungsstelle Bauprodukte (EG)

Page 2 of certificate no.

0036 CPR 9811 001

Rev. 11



DPV5 - DPV 3 (outer wall painted), Model 1 designations:

up to DN 300 T600 N1 W V2 L50040 G50 from DN 301 to 400 T600 N1 W V2 L50040 G75

DPV5 - DPV3 (outer wall painted), Model 2 designations:

up to DN 300 T600 N1 W V2 L50050 G50 from DN 301 to 400 T600 N1 W V2 L50050 G75

DP5 - DP3 (outer wall copper), Model 3 designations:

up to DN 200 T600 N1 W V2 L50040 G75

DP5 - DP3 (outer wall copper), Model 4 designations:

up to DN 300 T600 N1 W V2 L50050 G75 from DN 301 to 400 T600 N1 W V2 L50050 G112,5

DP6 - DP4 (outer wall 1.4301), Model 5 designations:

up to DN 300 T600 N1 W V2 L50040 G50* from DN 301 to 400 T600 N1 W V2 L50040 G75*

DP6 - DP4 (outer wall 1.4301), Model 6 designations:

up to DN 300 T600 N1 W V2 L50050 G50* from DN 301 to 400 T600 N1 W V2 L50050 G75*

DP6 - DP4 (outer wall 1.4301), Model 7 designations:

up to DN 300 T600 N1 W V2 L50060 G50* from DN 301 to 450 T600 N1 W V2 L50060 G75* DN 451 to 600 T600 N1 W V2 L50060 G100* DN 601 to 700 T600 N1 W V2 L50060 G200*

DP6 - DP4 (outer wall 1.4301), Model 8 designations:

up to DN 300 T600 N1 W V2 L50040 G75** from DN 301 to 400 T600 N1 W V2 L50040 G112.5**

DP6 – DP4 (outer wall 1.4301), Model 9 designations:

up to DN 300 T600 N1 W V2 L50050 G75**
from DN 301 to 400 T600 N1 W V2 L50050 G112,5**

DP6 - DP4 (outer wall 1.4301), Model 10 designations:

up to DN 300 T600 N1 W V2 L50060 G75** from DN 301 to 400 T600 N1 W V2 L50060 G112,5**

^{*} without enclosure and with ventilated floors;

^{*} without enclosure and with closed floors using wooden roof fixing kit DP 6108 / DP 4108

^{**} without enclosure and with closed floors using wooden roof fixing kit DP 6162 / DP 4162