



SELECTION GUIDE FOR BURGERHOUT PITCHED ROOF FLASHING

FOR FLUE GAS AND VENTILATION

CHOOSE THE RIGHT ROOF FLASHING WITH EASE

With the removal of traditional lead flashings from Burgerhout's standard range, the Burgerhout

FX Easy and **DX Easy** flashing systems have become the new standard for ventilation and flue gas terminals on pitched roofs.

The transition to this new generation of roof flashing systems can raise questions in practice. Which flashing is suitable for which terminal? And which options are suitable for specific roof pitches and diameters?

This brochure provides a clear overview of the roof terminals and their corresponding roof flashing. This makes it easy for everyone to **select the correct roof flashing quickly and accurately**.

HOW DO YOU USE THE SELECTION GUIDE

- The **first table** lists all Burgerhout terminals for flue gas and ventilation.
- In the **second table**, you can see the correct roof flashing (for pitched roofs) in the same row.
- In the **third table**, you can see the correct roof flashing (for flat roofs) in the same row.

THE NEW PITCHED ROOF FLASHING

BURGERHOUT FX / DX EASY PITCHED ROOF FLASHING

The Burgerhout FX Easy and Burgerhout DX Easy pitched roof flashing set the new standard within the Burgerhout range.

Discover below the key features that make these products unique.

BENEFITS

- **Flexible installation:** Easy to fit on most roofs
- **Made with Leadax:** The sustainable and fully circular lead substitute
- **Hinged cap with click-fit fastening:** Ensures reliable and quick installation.
- **Clear markings on the cap:** for easy adjustment of the roof pitch.
- **Wide adjustment range:** Suitable for a variety of roof pitches



LEADAX: THE NEW LEAD

The Burgerhout FX Easy and DX Easy pitched roof flashing contain Leadax: the world's first and most sustainable lead substitute.

Leadax offers the same workability and water-repellent properties as traditional lead, but is environmentally friendly.

BENEFITS

- **Environmentally friendly** – made from recycled PVB from car windows and reusable without any loss of quality
- **Health and environmentally friendly** – contains no heavy metals and is safe for people and nature
- **Flexible and robust** – easy to cut, roll and shape; just as reliable as lead
- **Lightweight** – up to 85% lighter than traditional lead, for efficient processing



CHOOSE THE RIGHT COMBINATION

FLUE GASS ROOF TERMINALS

BURGERHOUT SKYLINE 3000 HR CONCENTRIC

Choose your terminal	Art. no.
EasySafe Skyline 3000 PP 60/100 Black	410452742
EasySafe Skyline 3000 PP 60/100 XL Black	400452751
EasySafe Skyline 3000 PP 60/100 Terra	400452744
TwinSafe Skyline 3000 PP 60/100 Black	400452742
TwinSafe Skyline 3000 PP 60/100 XL Black	400452749
TwinSafe Skyline 3000 PP 60/100 Terra	400452745
Skyline 3000 AL 60/100 Black	400452740
Skyline 3000 PP 80/125 Black	400452762
Skyline 3000 PP 80/125 XL Black	400452769
Skyline 3000 PP 80/125 Terra	400452768
Skyline 3000 AL 80/125 Black	400452758
Skyline 3000 PP 100/150 Black	400452772
Skyline 3000 AL 100/150 Black	400452770

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 120 Black	15-60	400472004
FX Easy Pitched Roof Flashing 120 Black	15-60	400472004
FX Easy Pitched Roof Flashing 120 Terra	15-60	400472005
FX Easy Pitched Roof Flashing 120 Black	15-60	400472004
FX Easy Pitched Roof Flashing 120 Black	15-60	400472004
FX Easy Pitched Roof Flashing 120 Terra	15-60	400472005
FX Easy Pitched Roof Flashing 120 Black	15-60	400472004
FX Easy Pitched Roof Flashing 140 Black	15-60	400472007
FX Easy Pitched Roof Flashing 140 Black	15-60	400472007
FX Easy Pitched Roof Flashing 140 Terra	15-60	400472008
FX Easy Pitched Roof Flashing 140 Black	15-60	400472007
FX Easy Pitched Roof Flashing 170 Black	15-60	400472013
FX Easy Pitched Roof Flashing 170 Black	15-60	400472013

Flat roof flashing	Art. no.
Flat Roof Flashing AL 119	400453155
Flat Roof Flashing AL 119	400453155
Flat Roof Flashing AL 119	400453155
Flat Roof Flashing AL 119	400453155
Flat Roof Flashing AL 119	400453155
Flat Roof Flashing AL 119	400453155
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 168	400453183
Flat Roof Flashing AL 168	400453183

BURGERHOUT SKYLINE 3000 HR PARALLEL

Choose your terminal	Art. no.
Skyline 3000 PP 80/125 Br 80-80 Black	400452782
Skyline 3000 PP 80/125 Br 80-80 XL Black	400452783
Skyline 3000 PP 80/125 Br 80-80 Terra	400452784
Skyline 3000 AL 80/125 Br 80-80 Black	400452750
Skyline 3000 RVS 80/125 Br 80-80 Black	400452752
Skyline 3000 PP 100/150 Br 100-100 Black	400452781
Skyline 3000 AL 100/150 Br 100-100 Black	400452774

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 140 Black	15-60°	400472007
FX Easy Pitched Roof Flashing 140 Black	15-60°	400472007
FX Easy Pitched Roof Flashing 140 Terra	15-60°	400472008
FX Easy Pitched Roof Flashing 140 Black	15-60°	400472007
FX Easy Pitched Roof Flashing 140 Black	15-60°	400472007
FX Easy Pitched Roof Flashing 170 Black	15-60°	400472013
FX Easy Pitched Roof Flashing 170 Black	15-60°	400472013

Flat roof flashing	Art. no.
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 168	400453183
Flat Roof Flashing AL 168	400453183

BURGERHOUT SKYLINE 3000 HR COMBINATION ROOF TERMINAL

Choose your terminal	Art. no.
Skyline 3000 Combi PP 60/100 125	400452935
Skyline 3000 Combi PP 80-80-125	400452919
Skyline 3000 Combi AL 80-80-125	400452923
Skyline 3000 Combi RVS 80-80-125	400452921

Pitched roof flashing	∠	Art. no.
DX Easy Pitched Roof Flashing 200 Black	10-50°	400472062
DX Easy Pitched Roof Flashing 200 Black	10-50°	400472062
DX Easy Pitched Roof Flashing 200 Black	10-50°	400472062
DX Easy Pitched Roof Flashing 200 Black	10-50°	400472062

Flat roof flashing	Art. no.
Flat Roof Flashing AL 198	400453189
Flat Roof Flashing AL 198	400453189
Flat Roof Flashing AL 198	400453189
Flat Roof Flashing AL 198	400453189

VR ROOF TERMINAL

Choose your terminal	Art. no.
Mugro 2000 AL 80/125 Br 80-80 L=1280	410029063
Mugro 2000 AL 100/150 Br 100-100	400452928
Roof terminal AL VR 130/200 Br 130-130	400452910

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 140 Black	15-60°	400472007
FX Easy Pitched Roof Flashing 170 Black	15-60°	400472013
DX Easy Pitched Roof Flashing 210 Black	10-50°	400472064

Flat roof flashing	Art. no.
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 168	400453183
Flat Roof Flashing AL 204	400453210

HR ROOF TERMINAL PP

Choose your terminal	Art. no.
Roof terminal PP 130	400470754
Roof terminal PP 150	400470774
Roof terminal PP 200	400470794

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing + Adjustable collar 150 Black	15-60°	400472001 400472030
DX Easy Pitched Roof Flashing 210 Black	10-55°	400472061
DX Easy Pitched Roof Flashing 227 Black	15-50°	400472065

Flat roof flashing	Art. no.
Flat Roof Flashing AL 153	400453180
Flat Roof Flashing AL 173	400453186
Flat Roof Flashing AL 222	400453192



HR ROOF TERMINAL

Choose your terminal	Art. no.
Roof terminal AL HR 130-130 > 130/200	400452911
Roof terminal AL 150-150	400452926
Roof terminal SST 150-150	410086298
Roof terminal SST 200-200	410079504

Pitched roof flashing	∠	Art. no.
DX Easy Pitched Roof Flashing 210 Black	10-50°	400472064
DX Easy Pitched Roof Flashing 227 Black	15-50°	400472065
DX Easy Pitched Roof Flashing 227 Black	15-50°	400472065
Fixed roof flashing	18-62°	on request

Flat roof flashing	Art. no.
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 222	400453192
Flat Roof Flashing AL 222	400453192
Flat Roof Flashing AL 320	400453195



FLUE GAS ROOF TERMINAL WITH THICK-WALLED ALUMINUM

Choose your terminal	Art. no.
Alu-Fix Roof terminal AL 80 L=1450	400452643
Alu-Fix Roof terminal AL 100 L=1450	400452649
Alu-Fix Roof terminal AL 110 L=1450	400452652
Alu-Fix Roof terminal AL 130 L=1450	400452655
Alu-Fix Roof terminal AL 150 L=1450	400452658
Alu-Fix Roof terminal AL 180 L=1450	400452661
Alu-Fix Roof terminal AL 200 L=1450	400452664

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing + Adjustable collar 100 Black	15-60°	400472001 400472020
FX Easy Pitched Roof Flashing 120 Black	15-60°	400472004
FX Easy Pitched Roof Flash 128-132 Black	15-60°	400472011
FX Easy Pitched Roof Flashing + Adjustable collar 150 Black	15-60°	400472001 400472030
DX Easy Pitched Roof Flashing 175 Black	10-55°	400472061
DX Easy Pitched Roof Flashing 205 Black	10-50°	400472063
DX Easy Pitched Roof Flashing 227 Black	15-50°	400472065

Flat roof flashing	Art. no.
Flat Roof Flashing AL 103	400453150
Flat Roof Flashing AL 123	400453156
Flat Roof Flashing AL 133	400453168
Flat Roof Flashing AL 153	400453180
Flat Roof Flashing AL 173	400453186
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 222	400453192



FLUE GAS ROOF TERMINAL WITH THIN-WALLED ALUMINUM

Choose your terminal	Art. no.
Roof terminal AL 80 L=1450	400452601
Roof terminal AL 100 L=1450	400452607
Roof terminal AL 110 L=1450	400452610
Roof terminal AL 130 L=1450A	400452613
Roof terminal AL 150 L=1450	400452616
Roof terminal AL 180 L=1450	400452619
Roof terminal AL 200 L=1450	400452622
Roof terminal AL 250 L=1450	400452625
Roof terminal AL 300 L=1450	400452628
Roof terminal AL 350 L=1450	400452629
Roof terminal AL 400 L=1450	400452630

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing + Adjustable collar 100 Black	15-60°	400472001 400472020
FX Easy Pitched Roof Flashing 120 Black	15-60°	400472004
FX Easy Pitched Roof Flash 128-132 Black	15-60°	400472011
FX Easy Pitched Roof Flashing + Adjustable collar 150 Black	15-60°	400472001 400472030
DX Easy Pitched Roof Flashing 175 Black	10-55°	400472061
DX Easy Pitched Roof Flashing 205 Black	10-50°	400472063
Fixed roof flashing	18-62°	on request
Fixed roof flashing	18-62°	on request
Fixed roof flashing	18-62°	on request
Fixed roof flashing	18-62°	on request
Fixed roof flashing	18-62°	on request

Flat roof flashing	Art. no.
Flat Roof Flashing AL 103	400453150
Flat Roof Flashing AL 123	400453156
Flat Roof Flashing AL 133	400453168
Flat Roof Flashing AL 153	400453180
Flat Roof Flashing AL 173	400453186
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 222	400453192
Flat Roof Flashing AL 275	400453198
Flat Roof Flashing AL 325	400453201
Flat Roof Flashing AL 375	400453204
Flat Roof Flashing GLV 425	400453219



CHOOSE THE RIGHT COMBINATION

VENTILATION ROOF TERMINALS

DOUBLE-WALLED ALUMINUM VENTILATION ROOF TERMINAL BLACK

Choose your terminal	Art. no.
Roof terminal Vent AL 100 L=1000 Black	400452666
Roof terminal Vent AL 110 L=1000 Black	400452667
Roof terminal Vent AL 125 L=1000 Black	400452670
Roof terminal Vent AL 150 L=1000 Black	400452673
Roof terminal Vent AL 180 L=1000 Black	400452675
Roof terminal Vent AL 200 L=1000 Black	400452678

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 120 Black	15-55°	400472004
FX Easy Pitched Roof Flash 128-132 Black	15-55°	400472011
FX Easy Pitched Roof Flashing 140 Black	15-55°	400472007
FX Easy Pitched Roof Flashing 170 Black	15-55°	400472013
DX Easy Pitched Roof Flashing 205 Black	10-50°	400472063
DX Easy Pitched Roof Flashing 210 Black	10-50°	400472064

Flat roof flashing	Art. no.
Flat Roof Flashing AL 123	400453156
Flat Roof Flashing AL 133	400453168
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 168	400453183
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210



VENTILATION ROOF TERMINAL PP

For mechanical ventilation

Choose your terminal	Art. nr.
Roof terminal Vent PP 150 L=1310	400453118

Pitched roof flashing	∠	Art. nr.
FX Easy Pitched Roof Flashing 160 Black	15-60°	400472015

Flat roof flashing	Art. nr.
Flat Roof Flashing AL 160	400453182



VENTILATION ROOF TERMINAL PP

Choose your terminal	Art. no.
Roof terminal Vent PP 100 L=960 Black	400453092
Roof terminal Vent PP 100 L=960 Terra	400453093

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 120 Black	15-60°	400472004
FX Easy Pitched Roof Flashing 120 Terra	15-60°	400472005

Flat roof flashing	Art. no.
Flat Roof Flashing AL 119	400453155
Flat Roof Flashing AL 119	400453155



SINGLE-WALL GALVANIZED VENTILATION ROOF TERMINAL BLACK

Choose your terminal	Art. no.
Roof terminal Vent GLV 250 L=1160 Black	400452681
Roof terminal Vent GLV 300 L=1160 Black	400452684
Roof terminal Vent GLV 350 L=1180 Black	400452687
Roof terminal Vent GLV 400 L=1190 Black	400452690

Pitched roof flashing	∠	Art. no.
Fixed roof flashing	18-62° on request	
Fixed roof flashing	18-62° on request	
Fixed roof flashing	18-62° on request	
Fixed roof flashing	18-62° on request	

Flat roof flashing	Art. no.
Flat Roof Flashing AL 275	400453198
Flat Roof Flashing AL 325	400453201
Flat Roof Flashing AL 375	400453204
Flat Roof Flashing GLV 425	400453219



MEGAVENT VENTILATION ROOF TERMINAL PP

For natural or mechanical ventilation

Choose your terminal	Art. no.
Megavent PP 125 Black	400453102
Megavent PP 125 Terra	400453105

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 140 Black	15-60°	400472007
FX Easy Pitched Roof Flashing 140 Terra	15-60°	400472008

Flat roof flashing	Art. no.
Flat Roof Flashing AL 138	400453171
Flat Roof Flashing AL 138	400453171



SOIL VENT PP

Choose your terminal	Art. no.
Soil vent PP 110 Black	400453090
Soil vent PP 110 Terra	400453091

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flash 128-132 Black	15-60°	400472011
FX Easy Pitched Roof Flash 128-132 Terra	15-60°	400472012

Flat roof flashing	Art. no.
Flat Roof Flashing AL 123	400453156
Flat Roof Flashing AL 123	400453156



VENTILATION ROOF TERMINAL BURGERHOUT EASYAIR

Choose your terminal	Art. no.
EasyAir Roof terminal EPS 125 Black	400480630
EasyAir Roof terminal EPS 125 Terra	400480631
EasyAir Roof terminal EPS 160 Black	400480632
EasyAir Roof terminal EPS 160 Terra	400480633
EasyAir Roof terminal EPS 180/200 Black	400480634
EasyAir Roof terminal EPS 180/200 Terra	400480635

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 160 Black	15-55°	400472015
FX Easy Pitched Roof Flashing 160 Terra	15-55°	400472016
DX Easy Pitched Roof Flashing 227 Black	15-50°	400472065
DX Easy Pitched Roof Flashing 227 Terra	15-50°	400472075
DX Easy Pitched Roof Flashing 263 Black	20-50°	400472066
DX Easy Pitched Roof Flashing 263 Terra	20-50°	400472076

Flat roof flashing	Art. no.
Flat Roof Flashing AL 160	400453182
Flat Roof Flashing AL 160	400453182
Flat Roof Flashing AL 230	410076573
Flat Roof Flashing AL 230	410076573
Flat Roof Flashing AL 266	400077564
Flat Roof Flashing AL 266	400077564



VENTILATION ROOF TERMINAL WITH ALUMINUM PIPE AND EPS INSULATION

Choose your terminal	Art. no.
Roof terminal Vent EPS 125 L=1000 Black	400480451
Roof terminal Vent EPS 125 L=1000 Terra	400480453
Roof terminal Vent EPS 130 L=1000 Black	400452710
Roof terminal Vent EPS 150 L=1000 Black	400452712
Roof terminal Vent EPS 150 L=1750 Black	400452718
Roof terminal Vent EPS 150 L=1000 Terra	400452714
Roof terminal Vent EPS 160 L=1000 Black	400480600
Roof terminal Vent EPS 160 L=1000 Terra	400480601
Roof terminal Vent EPS 180 L=1000 Black	400452736
Roof terminal Vent EPS 180 L=1675 Black	400452738
Roof terminal Vent EPS 180 L=1000 Terra	400452737

Pitched roof flashing	∠	Art. no.
FX Easy Pitched Roof Flashing 160 Black	15-55°	400472015
FX Easy Pitched Roof Flashing 160 Terra	15-55°	400472016
FX Easy Pitched Roof Flashing 160 Black	15-55°	400472015
DX Easy Pitched Roof Flashing 205 Black	10-50°	400472063
DX Easy Pitched Roof Flashing 205 Black	10-50°	400472063
DX Easy Pitched Roof Flashing 205 Terra	10-50°	400472073
DX Easy Pitched Roof Flashing 210 Black	10-50°	400472064
DX Easy Pitched Roof Flashing 210 Terra	10-50°	400472074
DX Easy Pitched Roof Flashing 210 Black	10-50°	400472064
DX Easy Pitched Roof Flashing 210 Black	10-50°	400472064
DX Easy Pitched Roof Flashing 210 Terra	10-50°	400472074

Flat roof flashing	Art. no.
Flat Roof Flashing AL 160	400453182
Flat Roof Flashing AL 160	400453182
Flat Roof Flashing AL 160	400453182
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210
Flat Roof Flashing AL 204	400453210





The information in this brochure has been compiled with care. Burgerhout reserves the right to change specifications, products, or designs without prior notice. The images, dimensions, and performance data shown are for illustrative purposes only and may vary in practice. No rights may be derived from the content of this brochure. For the most current and complete information, please refer to the official product documentation or contact your account manager.

Burgerhout

Burgemeester Grollemanweg 14
9405 TN Assen
The Netherlands
T: +31 592 34 30 43
E: info@burgerhout.nl

